This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 Date of issue: 24/07/2019 Revision date: 24/07/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Article
Trade name	: Lithium ion Battery ICR18650 3.7V 2500mAh
Other means of identification	: Voltage : 3.7V
	Watt-Hour: 9.25Wh
	Battery Weight: 46g
1.2. Recommended use and restriction	is on use
Main use category	: Power supply.
Restrictions on use	: No information available.
1.3. Supplier	
Supplier	: Guangzhou Great Power Energy & Technology Co.,Ltd.
Address	: No.912,West Village Segment,Shi Liang Road,Shawan Town,Panyu Guangdong Province
	P.R.China
Postal Code	511483
Phone	: 86-020-39196828
E-mail	: lcni@greatpower.net
1.4. Emergency telephone number	

+86-020-39196828

SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	xture		
GHS-US classification The batteries are not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's risk of rupture, fire, heat, leakage of internal components, which could cause casualty loss.			
In the case of rupture, the following hazards may	expose:		
Skin corrosion/irritation, Category 2			
Serious eye damage/eye irritation, Category 2			
2.2. GHS Label elements, including preca	utionary statements		
GHS-US labeling			
Hazard pictograms (GHS-US)			
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: Causes skin irritation.		
	Causes serious eye irritation.		
Precautionary statements (GHS-US)	: Wash hands, forearms and face thoroughly after handling.		
	Wear protective gloves/protective clothing/eye protection/face protection.		
	If on skin: Wash with plenty of water/		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	Specific treatment (see supplemental first aid instruction on this label)		
	If skin irritation occurs: Get medical advice/attention.		
	If eye irritation persists: Get medical advice/attention.		
	Take off contaminated clothing and wash it before reuse.		

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

2.3. Other hazards which do not result in classification

This product should not present a health hazard when used under reasonable conditions. If contact with the internal components of the battery may be irritating to skin, eyes and mucous membranes. Fire will produce irritating, corrosive and/or toxic gases

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	
Iron	(CAS-No.) 7439-89-6	31.1	
Cobalt lithium manganese nickel oxide	(CAS-No.) 182442-95-1	28.4	
Graphite	(CAS-No.) 7782-42-5	17.1	
Copper	(CAS-No.) 7440-50-8	5.7	
Diethyl carbonate	(CAS-No.) 105-58-8	4.7	
Dimethyl carbonate	(CAS-No.) 616-38-6	3.8	
Ethylene carbonate	(CAS-No.) 96-49-1	3.4	
Aluminum	(CAS-No.) 7429-90-5	2.5	
Polypropylene	(CAS-No.) 9003-07-0	2	
Phosphate(1-), hexafluoro-, lithium	(CAS-No.) 21324-40-3	1.3	

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures	3	
First-aid measures general	: No hazards which require special first aid measures.	
	If you feel unwell, seek medical advice (show directions for use or safety data sheet if possible).	
First-aid measures after inhalation	: There will be no dangerous during normal use. But breathe in a large number of batteries, or heat released from the gas, it will stimulate the respiratory tract and eyes. Remove to fresh air immediately. Get medical treatment immediately	
First-aid measures after skin contact	 There will be no dangerous during normal use. But contacting battery electrolyte, may cause severe irritation or burns. 	
First-aid measures after eye contact	: There will be no dangerous during normal use. But contacting battery electrolyte can burn the eyes.	
	Flush the eyes with plenty of clean water for at least 15 minutes immediately, without rubbing. Get immediate medical treatment. If appropriate procedures are not taken, this may cause eye injury.	
First-aid measures after ingestion	 Ingestion of internal chemical materials may cause mouth, throat and intestinal irritation and damage. 	
	Rinse mouth Get medical attention Never give anything by mouth to an unconscious person	
4.2. Most important symptoms and e	ffects (acute and delayed)	
Symptoms/effects	: No information available.	
4.3. Immediate medical attention and	I special treatment, if necessary	
Treat symptomatically.		
SECTION 5: Fire-fighting measure	95	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	

Unsuitable extinguishing media

: No information available.

Lithium ion Battery ICR18650 3.7V 2500mAh Safety Data Sheet This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

5.2. Specific hazards arising from the chemical			
Fire hazard	: Battery can be overheated by an external source or by internal shorting and develop metal		
	hydroxide mist.		
	Toxic vapor may release in case of fire.		
	Containers may explode when heated.		
	Fire fighting water runoff and dilution water may be toxic and corrosive and may cause adverse environmental impacts.		
	Since vapour, generated from burning batteries may make eyes, nose and throat irritates, be sure to extinguish the fire on the windward side. Wear the respiratory protection equipment in some cases.		
	Exposure to the ingredients contained within the battery pack could be harmful under some circumstances.		
Toxic vapor may release in case of fire.	: Thermal decomposition can lead to release of irritating and toxic gases and vapors		
5.3. Special protective equipmen	t and precautions for fire-fighters		
Protection during firefighting	 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		
Other information	Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas. Eliminate every possible source of ignition. Move containers from fire area if it can be done without personal risk. Cool tanks/drums with water spray/remove them into safety. Stay upwind/keep distance from source.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protect	tive equipment and emergency procedures		
6.1.1. For non-emergency personn	el		
Emergency procedures	: No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Stop leak if safe to do so. Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for con	ntainment and cleaning up		
For containment	: Collect spillage. Move containers from fire area if it can be done without personal risk. Contain large spillage with sand or earth.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Clean up any spills as soon as possible, using an absorbent material to collect it. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13	L.		
SECTION 7: Handling and stor	age		
7.1. Precautions for safe handling			
Precautions for safe handling	: When packing the batteries, do not allow battery terminals to contact each other, or contact with other metals.		
	Be sure to pack batteries by providing partitions in the packaging box, or in a separate plastic bag so that the single batteries are not mixed together.		
	Use strong material for packaging boxes so that they will not be damaged by vibration, impact, dropping and stacking during their transportation.		
	Do not short-circuit, recharge, deform, throw into fire or disassemble.		
	Do not mix different type of batteries.		
	Do not solder directly onto batteries.		
	Insert the battery correctly in electrical equipment.		
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		

 Safety Data Sheet

 This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

7.2.	Conditions for safe storage, includi	ompatibilities	
Storage	conditions	n a cool and dry area, but prevent cor	ndensation on cell or battery terminals.
		emperature may damage the performation	ance of the battery.
		t from physical damage and short circ	uits.
		id risk of fire or explosion, keep spark	s and other sources of ignition away from the
		allow metal objects to simultaneously es.	contact both positive and negative terminal of
		stack battery directly on another batter	ery.
		store batteries on electrically conduc	tive surfaces.
		containers tightly closed in a dry, cool	and well-ventilated place
		ocked up and out of reach of children	
		away from food, drink and animal feed	ing stuffs
		n accordance with local regulations	

SECTION 8: Exposure controls/personal protection

.1. Control par	ameters		
Graphite (7782-42-5	i)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m³ (all forms except graphite fibers-respirable particulate matter)	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m ³ (synthetic-total dust) 5 mg/m ³ (synthetic-respirable fraction)	
IDLH	US IDLH (mg/m³)	1250 mg/m³	
NIOSH	NIOSH REL (TWA) (mg/m ³)	2.5 mg/m ³ (natural-respirable dust)	
Phosphate(1-), hexa	afluoro-, lithium (21324-40-3)		
Not applicable			
Ethylene carbonate	(96-49-1)		
Not applicable			
Diethyl carbonate (105-58-8)		
Not applicable			
Dimethyl carbonate	e (616-38-6)		
Not applicable			
Polypropylene (900	3-07-0)		
Not applicable			
Iron (7439-89-6)			
Not applicable			
Copper (7440-50-8)			
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m³ (fume)	
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 1 mg/m³ (dust and mist)	
IDLH	US IDLH (mg/m ³)	100 mg/m³ (dust, fume and mist)	
NIOSH	NIOSH REL (TWA) (mg/m ³)	1 mg/m³ (dust and mist) 0.1 mg/m³ (fume)	
Aluminum (7429-90	-5)		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (respirable particulate matter)	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)	
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)	
Cobalt lithium mane	ganese nickel oxide (182442-95-1)		
Not applicable			

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200			
8.2.	Appropriate engineering controls		
Appropriate engineering controls		:	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Remove all sources of ignition.
Environ	mental exposure controls	:	Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

SECTION 9: Physical and chemical properties

Hand protection:

Under normal condition of use and handling no special protection is required for sealed battery. In the event of battery case breakage, should be wear appropriate safety gloves

Eye protection:

Under normal condition of use and handling no special protection is required for sealed battery. Use appropriate safety glasses when there is the risk of splash

Skin and body protection:

Under normal condition of use and handling no special protection is required for sealed battery. It is recommended to wear appropriate protective clothing when the battery case is broken.

Respiratory protection:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

9.1. Information on basic physical and ch	nemical properties	
Physical state	: Solid	
Color	: No data available	
Odor	: Odourless.	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not flammable	
Vapor pressure	: Not applicable	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: Not applicable	
Viscosity, dynamic	: Not applicable	
Explosion limits	: Not applicable	
Explosive properties	: Not an explosive	
Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal condition	ons of use, storage and transport.	
10.2. Chemical stability		
Stable under normal conditions.		
24/07/2019	EN (English US)	5/10

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Avoid contact with incompatible materials

10.5. Incompatible materials

Oxidizing agent. Strong acid. Strong base.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

Phosphate(1-), hexafluoro-, lithium (21324-40	50 - 300 mg/kg
Ethylene carbonate (96-49-1)	
LD50 oral rat	10 g/kg
Dimethyl carbonate (616-38-6)	
LD50 oral rat	13 g/kg
LD50 dermal rabbit	> 5 g/kg
LC50 inhalation rat (mg/l)	140 mg/l/4h
Iron (7439-89-6)	
LD50 oral rat	30 g/kg
Cobalt lithium manganese nickel oxide (1824	142-95-1)
LC50 inhalation rat (mg/l)	0.05 - 0.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Polypropylene (9003-07-0)	
IARC group	3 - Not classifiable
Cobalt lithium manganese nickel oxide (1824	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated	: Not classified
exposure	
Assistion borord	. Not close if ad
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
5, <u>5</u>	effects in the environment.
Copper (7440-50-8)	

24/07/2019

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

0		
	er (7440-50-8)	
LC50 fish		< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
40.0	Develotion on and de vue de biliter	
12.2.	Persistence and degradability	
No add	itional information available	
12.3.	Bioaccumulative potential	
No add	itional information available	
12.4.	Mobility in soil	
No add	itional information available	
12.5.	Other adverse effects	
12101		
Effect c	n the global warming	: No known effects from this product.
GWPm	ix comment	: No known effects from this product.

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
SECTION 14: Transport information				

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Copper		CAS-No. 7440-50-8	5.7%
Aluminum		CAS-No. 7429-90-5	2.5%
Phosphate(1-), hexafluoro-, lithium (21324-40-3)			
EPA TSCA Regulatory Flag	A TSCA Regulatory Flag P - P - indicates a commenced Premanufacture Notice (PMN) substance.		
Polypropylene (9003-07-0)			
EPA TSCA Regulatory Flag	SCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). Rule, (40 CFR 711).		
24/07/2019	EN (English US)		7/10

 Safety Data Sheet

 This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Copper (7440-50-8)	per (7440-50-8)	
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm	
Cobalt lithium manganese nickel oxide (182442-95-1)		
EPA TSCA Regulatory Flag	 E - E - indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA. P - P - indicates a commenced Premanufacture Notice (PMN) substance. S - S - indicates a substance that is identified in a final Significant New Use Rule. 	

15.2. International regulations

CANADA	
Graphite (7782-42-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Phosphate(1-), hexafluoro-, lithium (21324-40-3)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	
Ethylene carbonate (96-49-1)	
Listed on the Canadian DSL (Domestic Substances List)	
Diethyl carbonate (105-58-8)	
Listed on the Canadian DSL (Domestic Substances List)	
Dimethyl carbonate (616-38-6)	
Listed on the Canadian DSL (Domestic Substances List)	
Polypropylene (9003-07-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Iron (7439-89-6)	
Listed on the Canadian DSL (Domestic Substances List)	
Copper (7440-50-8)	
Listed on the Canadian DSL (Domestic Substances List)	
Aluminum (7429-90-5)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

Graphite (7782-42-5)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Phosphate(1-), hexafluoro-, lithium (21324-40-3)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Ethylene carbonate (96-49-1)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Diethyl carbonate (105-58-8)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Dimethyl carbonate (616-38-6)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Iron (7439-89-6)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Copper (7440-50-8)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Aluminum (7429-90-5)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	

National regulations

Lithium ion Battery ICR18650 3.7V 2500mAh Safety Data Sheet This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

This document	has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
Graphite (7782-42-5)	
Listed on IECSC (Inve Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil Listed on INSQ (Mexic Listed on Turkish inve	ustralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) can National Inventory of Chemical Substances) ntory of chemical iwan Chemical Substance Inventory)
	luoro-, lithium (21324-40-3)
Listed on IECSC (Inve Listed on the Japanes Listed on the Japanes Listed on the Korean I Listed on PICCS (Phil	ustralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) e ENCS (Existing & New Chemical Substances) inventory e ISHL (Industrial Safety and Health Law) ECL (Existing Chemicals List) ppines Inventory of Chemicals and Chemical Substances) iwan Chemical Substance Inventory)
Ethylene carbonate	96-49-1)
Listed on the AICS (A Listed on IECSC (Inve Listed on the Japanes Listed on the Japanes Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil	Istralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) e ENCS (Existing & New Chemical Substances) inventory e ISHL (Industrial Safety and Health Law) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) iiwan Chemical Substance Inventory)
Diethyl carbonate (1	J5-58-8)
Listed on IECSC (Inve Listed on the Japanes Listed on the Japanes Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil Listed on INSQ (Mexic	ustralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) e ENCS (Existing & New Chemical Substances) inventory e ISHL (Industrial Safety and Health Law) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) an National Inventory of Chemical Substances) iwan Chemical Substance Inventory)
Dimethyl carbonate	616-38-6)
Listed on IECSC (Inve Listed on the Japanes Listed on the Japanes Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil Listed on INSQ (Mexic	Istralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) e ENCS (Existing & New Chemical Substances) inventory e ISHL (Industrial Safety and Health Law) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) an National Inventory of Chemical Substances) iwan Chemical Substance Inventory)
Polypropylene (9003	07-0)
Listed on IECSC (Inve Listed on the Japanes Listed on the Japanes Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil Listed on INSQ (Mexic	Istralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) e ENCS (Existing & New Chemical Substances) inventory e ISHL (Industrial Safety and Health Law) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) an National Inventory of Chemical Substances) iiwan Chemical Substance Inventory)
Iron (7439-89-6)	
Listed on IECSC (Inve Listed on the Korean I Listed on NZIoC (New Listed on PICCS (Phil Listed on INSQ (Mexic Listed on Turkish inve	ustralian Inventory of Chemical Substances) ntory of Existing Chemical Substances Produced or Imported in China) ECL (Existing Chemicals List) Zealand Inventory of Chemicals) ppines Inventory of Chemicals and Chemical Substances) can National Inventory of Chemical Substances) ntory of chemical ntory of chemical iwan Chemical Substance Inventory)
24/07/2019	EN (English US) 9/1

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Copper (7440-50-8)

	Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on Turkish inventory of chemical Listed on the TCSI (Taiwan Chemical Substance Inventory)
	Aluminum (7429-90-5)
	Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on Turkish inventory of chemical Listed on the TCSI (Taiwan Chemical Substance Inventory)
	Cobalt lithium manganese nickel oxide (182442-95-1)
1	Listed on IECCC (Inventory of Evisting Chemical Cylateness Dreduced or Imported in China)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information	
Issue date	: 13/06/2019
Revision date	: 13/06/2019

Key or legend to abbreviations and acronyms used in the safety data sheet

ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road		
IMDG	International Maritime Dangerous Goods		
ΙΑΤΑ	International Air Transport Association		
ADN	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterway		
RID	Regulations Concerning the International Carriage of Dangerous Godds by Rail		
PBT	Persistent, Bioaccumulative and Toxic		
vPvB	Very Persistent and Very Bioaccumulative		
DNEL	Derived No Effect Level		
PNEC	Predicted No Effect Concentration		
LC50	Lethal Concentration 50		
LD50	Lethal Dose 50		
EC50	Effective Concentration 50		
TWA	Time Weighted Average		
STEL	Short Term Exposure Limit		
Key literature references and sources for data			

ECHA: http://echa.europa.eu/

IFA GESTIS: http://gestis-en.itrust.de/nxt/gateway.dll?f=templates\$fn=default.htm\$vid=gestiseng:sdbeng

HSDB: http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

ICSC: http://www.ilo.org/dyn/icsc/showcard.home

eChemPortal: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

NITE-CHRIP: http://www.nite.go.jp/en/chem/chrip/chrip_search/srhInput

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product