

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: 35840 Rofill Super 100

CAS Number:

75-28-5

EC number:

200-857-2

Index number:

601-004-00-0

Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the preparation: Gas

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ROTHENBERGER Industrial GmbH

Sodener Strasse 47

65779 Kelkheim/Germany

Tel. +49 (0) 61 95/ 99 81 – 0

Fax +49 (0) 61 95/ 99 81 – 7910

Email: info-diy@rothenberger.com

Further information obtainable from: ROTHENBERGER Industrial GmbH

Emergency telephone number:

Giftinformationszentrum-Nord / GIZ-Nord Poisons Centre

Telefon / Phone +49 (0) 551/19240

24h / 7d

2 Hazards identification

Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008:



GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



F+; Extremely flammable

R12: Extremely flammable.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Label elements:

Labelling according to Regulation (EC) No 1272/2008:

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 1)

Hazard pictograms:



GHS02

Signal word: Danger

Hazard-determining components of labelling:

isobutane

Hazard statements:

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Additional information:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS No. Description

75-28-5 isobutane

Identification number(s):

EC number: 200-857-2

Index number: 601-004-00-0

Dangerous components:

CAS: 75-28-5 isobutane 50-100%

EINECS: 200-857-2 F+ R12

Flam. Gas 1, H220; Press. Gas, H280

Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 2)

4 First aid measures

Description of first aid measures:

General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

After inhalation: Supply fresh air and to be sure call for a doctor.

After skin contact:

In cases of frost bites, rinse with plenty of water. Do not remove clothing.

Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Call a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Firefighting measures

Extinguishing media:

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture: Can form explosive gas-air mixtures.

Advice for firefighters:

Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up: Ensure adequate ventilation.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling:

Open and handle receptacle with care.

Use only in well ventilated areas.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 3)

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Handle only outside or in explosion protected rooms.

Flammable gas-air mixtures may form in empty receptacles.

Emergency cooling must be available in case of nearby fire.

Conditions for safe storage, including any incompatibilities:**Storage:****Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurized containers.

Information about storage in one common storage facility: Store away from flammable substances.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.**Control parameters:****Ingredients with limit values that require monitoring at the workplace:** Not required.**Exposure controls:****Personal protective equipment:****General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.**Protection of hands:** Protective gloves**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 4)

9 Physical and chemical properties**Information on basic physical and chemical properties:****General Information:****Appearance:**

Form:	Condensed gas
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.

Change in condition:

Melting point/Melting range:	-159.4 °C
Boiling point/Boiling range:	-1 °C

Flash point: < 21 °C**Flammability (solid, gaseous):** Not determined.**Ignition temperature:** 460 °C**Decomposition temperature:** Not determined.**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**Explosion limits:**

Lower:	1.8 Vol %
Upper:	8.5 Vol %

Vapour pressure at 20 °C: 3000 hPa**Density at 20 °C:** 0.549 g/cm³**Relative density:** Not determined.**Vapour density:** Not determined.**Evaporation rate:** Not applicable.**Solubility in / Miscibility with water at 20 °C:**

0.049 g/l

Partition coefficient (n-octanol/water): Not determined.**Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**Other information:** No further relevant information available.**10 Stability and reactivity****Reactivity:****Chemical stability:****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 5)

Possibility of hazardous reactions:

Forms explosive gas mixture with air.

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

Used empty containers may contain product gases which form explosive mixtures with air.

Reacts with oxygen.

Reacts with fats and oils.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 6)

14 Transport information

UN-Number:
ADR, IMDG, IATA UN1950
UN proper shipping name:
ADR 1950 AEROSOLS
IMDG, IATA AEROSOLS
Transport hazard class(es):

ADR



Class: 2 5F Gases.
Label: 2.1

IMDG, IATA



Class: 2 Gases.
Label: 2.1
Packing group:
ADR, IMDG, IATA Void
Environmental hazards:
Marine pollutant: No
Special precautions for user: Warning: Gases.
EMS Number: F-D,S-U
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code Not applicable.
UN "Model Regulation": UN1950, AEROSOLS, 2.1

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

No further relevant information available.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

R12 Extremely flammable.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.04.2014

Revision: 01.04.2014

Trade name: 35840 Refill Super 100

(Contd. of page 7)

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas
