



LCIE

LICENCE



APPAREILLAGE ELECTRIQUE
DOMESTIQUE

LCIE N° : NF012_2201/A1

Titulaire :
License Holder:

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Site de fabrication :
Factory:

**0002AP
0010AP
0212AP
1456AP**

Produit :
Product:

Socle fixe de prise de courant
Fixed socket-outlet

Marque commerciale (s'il y a lieu) :
Trade mark (if any):



Modèle, type, référence :
Model, type, reference:

Gamme / Series : MOSAIC
Références / References : voir annexe / see annex

Caractéristiques principales :
Main characteristics:

Voir Annexe / See Annex

Informations complémentaires :
Additional information:

/

Le produit est conforme à :
The product is in conformity with:

NF C 61-314:2008 +A1:2010

Documents pris en compte :
Relevant documents:

Rapport(s) d'essai(s) / Test report(s) n° 166655-749647 et rapports
d'essais listés en annexe / and test reports listed in annex

Annule et remplace (s'il y a lieu) :
Cancels and replaces (if necessary):

La licence / License NF012_2201 du/of 26/11/2019 : mise à jour de la liste
des références produits/update the list of product references

En vertu de la présente décision notifiée par le LCIE organisme mandaté, AFNOR Certification accorde le droit d'usage de la Marque NF à la société qui en est titulaire pour les produits visés ci-dessus, dans les conditions définies par les règles générales de la Marque NF et par les règles de certification NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

On the strength of the present decision notified by LCIE mandated certification body, AFNOR Certification grants the right to use the NF Mark to the licence holder for the above mentioned products, within the frame of the general rules of the NF Mark and of the NF certification rules, as far as the regular checking and third party verifications of the production are satisfactory.

Fontenay-aux-Roses, 14/04/2020

Date de fin de validité / Expiry date : 01/01/2023

La validité de la présente licence cesse dès l'annulation de l'une des normes sur lesquelles elle est fondée.
The present license is valid until the cancellation of one of the standards on which it is based.


Julien Gauthier
Responsable Certification/Certification Officer

**LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES**
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES



Accréditation
N° 5-0014
Portée disponible sur
www.cofrac.fr

LCIE

Laboratoire Central des Industries Electriques
Une société de Bureau Veritas

33 Avenue du Général Leclerc
92260 Fontenay-aux-Roses
FRANCE

WWW.LCIE.FR

Annexe de la licence / Annex of license NF012_2201/A1

Documents pris en compte / Relevant documents :

Rapports d'essai / Test reports : n°

60021487-514363A/A1, 60032291-530935A/A1, 60051320-552296A/A1, 60051320-552098/A1,
60051549-552343A/A1, 60052084-553026/A1, 80640-569801/A1, 109475-618400A, 112252-623334A,
118896-637230A1, 127649-655969, 130899-663536Cr2016-10-05, 136736-675846A, 140943-683663,
140943-683665A, 158526-730178F, 160795-735203B

RÉFÉRENCES - CARACTÉRISTIQUES PRINCIPALES / REFERENCES - MAIN CHARACTERISTICS

Feuille de norme / <i>standard sheet</i>	I (2P+T) / IIIA (2P)
Courant nominal / <i>rated current (A)</i> Tension nominale / <i>rated voltage (V)</i>	16 A 250 V~
Degré de protection <i>Degree of protection</i>	IP20 IP44 with cover plate 0 788 80 or plates 0 897--
Présence de contact de terre <i>Provision for earthing</i>	sans contact de terre – <i>without earthing contact</i> avec contact de terre – <i>with earthing contact</i>
Procédé de raccordement du câble <i>method of connecting the cable</i>	démontable <i>rewirable</i>
Type des bornes <i>Type of terminals</i>	bornes à vis – <i>screw-type</i> sans vis (rigide et souple) <i>screwless-type (rigid and flexible)</i>
Degré de protection contre les chocs électriques <i>Degree of protection against electric shock</i>	protection normale – <i>normal protection</i>
Présence des obturateurs <i>Existence of shutters</i>	avec obturateurs - <i>with shutters</i>
Mode de pose - utilisation <i>Method of application - mounting</i>	En saillie ou encastré <i>Surface type or flush-type</i> Encastré dans le sol avec l'accessoire 0 897-- <i>floor-type with plates 0 897--</i>
Procédé d'installation <i>Method of installation</i>	conception A / <i>design A</i> design B with plates 0 897--

Annexe de la licence / Annex of license NF012_2201/A1

Mechanisms

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
PFA1	0 771 11	2P+E	slt	white or black or grey	
	0 995 94	2P+E	slt	white	
	0 996 95	2P+E	slt	white	
	0 996 80	2P+E	slt	white	
	0 771 99	2P+E	slt	white	
	0 771 12	2P+E	slt	white antibactériel or grey	With pilot light
	0 787 01	2P+E	slt	white antibactériel	
	0 771 16	2P+E	slt	green antibactériel	
	0 771 17	2P+E	slt	orange antibactériel	
	0 771 18	2P+E	slt	red antibactériel	
	0 771 26	2P+E	slt	red antibactériel	with pilot light
	0 771 19	2P+E	slt	white	With lid
	0 791 21	2P+E	slt	Anthracite	
	0 792 71	2P+E	slt	aluminium	
	0 771 32	2P+E	slt	white antibactériel	mobile face of entry plug
	0 996 24	2P+E	slt	white antibactériel	mobile face of entry plug
	0 791 32	2P+E	slt	Anthracite	mobile face of entry plug
	0 771 33	2P+E	slt	red antibactériel	mobile face of entry plug
	0 771 35	2P+E	slt	white antibactériel	With pilot light Mobile face of entry plug
	0 787 04	2P+E	slt	green antibactériel	mobile face of entry plug
0 921 10	2P+E	slt	inox		
0 921 11	2P+E	slt	inox		

slt : bornes sans vis / screwless terminals

Annexe de la licence / Annex of license NF012_2201/A1

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
PFA2	0 771 10	2P	slt	white	
	0 996 41	2P	slt	white	
	0 992 03	2P	slt	white	
	0 996 94	2P	slt	white	
PFA3	0 771 45	2P+E	slt	white	angle of 45°
	0 793 45	2P+E	slt	black	angle of 45°
	0 771 48	2P+E	slt	white	with pilot light angle of 45°
PFAD1	0 771 34	2 x 2P+E	slt	white	mobile face of entry plug
	0 791 34L	2 x 2P+E	slt	black mat	mobile face of entry plug
	0 791 34	2 x 2P+E	slt	Anthracite	mobile face of entry plug
	0 793 44	2 x 2P+E	slt	Aluminium	mobile face of entry plug
PFAT1	0 771 36	3 x 2P+E	slt	white	mobile face of entry plug
	0 791 36L	3 x 2P+E	slt	black mat	mobile face of entry plug
	0 791 36	3 x 2P+E	slt	Anthracite	mobile face of entry plug
	0 793 46	3 x 2P+E	slt	Aluminium	mobile face of entry plug
	0 771 13	2P+E	st	white	
	0 996 40	2P+E	st	white	
	0 771 14	2P+E	st	red or grey/red	tamperproof
	0 771 15	2P+E	st	red antibactériel	tamperproof with pilot light

st : bornes à vis / screw terminals

slt : bornes sans vis / screwless terminals

Annexe de la licence / Annex of license NF012_2201/A1

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E11	0 771 42	2 x 2P+T	slt	white	for trunking angle of 45°
	0 793 62	2 x 2P+T	slt	black	for trunking angle of 45°
	0 994 21	2 x 2P+T	slt	white	for trunking angle of 45°
	0 996 42	2 x 2P+T	slt	white	for trunking angle of 45°
	200 020	2 x 2P+T	slt	white	for trunking angle of 45°
	200 021	2 x 2P+T	slt	white	for trunking angle of 45°
	200 070	2 x 2P+T	slt	white	for trunking angle of 45°
	200 071	2 x 2P+T	slt	white	for trunking angle of 45°
	0 771 62	2 x 2P+T	slt	green	for trunking angle of 45°
	0 791 92	2 x 2P+T	slt	Anthracite	for trunking angle of 45°
	0 792 72	2 x 2P+T	slt	aluminium	for trunking angle of 45°
	0 771 72	2 x 2P+T	slt	red	for trunking angle of 45°
	0 771 64	2 x 2P+T	slt	white	for trunking angle of 45° grey push terminal
	0 792 76	2 x 2P+T	slt	aluminium	for trunking angle of 45° grey push terminal
	0 771 68	2 x 2P+T	slt	red	for trunking angle of 45° grey push terminal
	0 771 43	3 x 2P+T	slt	white	for trunking angle of 45°
	0 793 63	3 x 2P+T	slt	black	for trunking angle of 45°
	0 994 22	3 x 2P+T	slt	white	for trunking angle of 45°
	0 996 43	3 x 2P+T	slt	white	for trunking angle of 45°
	0 771 63	3 x 2P+T	slt	green	for trunking angle of 45°
	0 791 63	3 x 2P+T	slt	Anthracite	for trunking angle of 45°
	0 792 73	3 x 2P+T	slt	aluminium	for trunking angle of 45°
	0 771 73	3 x 2P+T	slt	red	for trunking angle of 45°
	0 771 65	3 x 2P+T	slt	white	for trunking angle of 45° grey push terminal
	0 771 69	3 x 2P+T	slt	red	for trunking angle of 45° grey push terminal
	0 771 44	4 x 2P+T	slt	white	for trunking angle of 45°
0 994 23	4 x 2P+T	slt	white	for trunking angle of 45°	
0 996 31	4 x 2P+T	slt	white	for trunking angle of 45°	

slt : bornes sans vis / screwless terminals

**Annexe de la licence / Annex of license
NF012_2201/A1**

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E11	200 022	4 x 2P+T	slt	white	for trunking angle of 45°
	200 023	4 x 2P+T	slt	white	for trunking angle of 45°
	200 072	4 x 2P+T	slt	white	for trunking angle of 45°
	200 073	4 x 2P+T	slt	white	for trunking angle of 45°
	0 771 74	4 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 52	2 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 66	2 x 2P+T	slt	red	tamperproof for trunking angle of 45° grey push terminal
	0 771 53	3 x 2P+T	slt	red	tamperproof for trunking angle of 45°
	0 771 67	3 x 2P+T	slt	red	tamperproof for trunking angle of 45° grey push terminal
	0 771 54	4 x 2P+T	slt	red	tamperproof for trunking angle of 45°

slt : bornes sans vis / screwless terminals

Annexe de la licence / Annex of license NF012_2201/A1

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
E10	0 771 01	2P+T	slt	white	for trunking with soluclip
	0 771 02	2 x 2P+T	slt	white	for trunking with soluclip
	0 771 82	2 x 2P+T	slt	black	for trunking with soluclip
	0 771 92	2 x 2P+T	slt	green	for trunking with soluclip
	0 771 03	3 x 2P+T	slt	white	for trunking with soluclip
	0 771 83	3 x 2P+T	slt	black	for trunking with soluclip
	0 771 04	4 x 2P+T	slt	white	for trunking with soluclip
	0 771 21	2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 22	2 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 23	3 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 771 24	4 x 2P+T	slt	red	tamperproof for trunking with soluclip
	0 773 31	2P+T	slt	white	for trunking
	0 773 32	2 x 2P+T	slt	white	for trunking
	0 773 33	3 x 2P+T	slt	white	for trunking
	0 773 34	4 x 2P+T	slt	white	for trunking
	0 773 41	2P+T	slt	red	tamperproof for trunking
	0 773 42	2 x 2P+T	slt	red	tamperproof for trunking
	0 773 43	3 x 2P+T	slt	red	tamperproof for trunking
	0 773 44	4 x 2P+T	slt	red	tamperproof for trunking
	0 773 01	2P+T	slt	white	for trunking
	0 773 51	2P+T	slt	white	for trunking with frame cv 65
	0 773 02	2 x 2P+T	slt	white	for trunking
	0 773 52	2 x 2P+T	slt	white	for trunking with frame cv 65
	0 792 22	2 x 2P+T	slt	aluminium	for trunking
	0 773 03	3 x 2P+T	slt	white	for trunking
	0 792 23	3 x 2P+T	slt	aluminium	for trunking
	0 773 04	4 x 2P+T	slt	white	for trunking
	0 773 54	4 x 2P+T	slt	white	for trunking with frame cv 65
	0 773 21	2P+T	slt	red	Tamperproof for trunking
	0 773 22	2 x 2P+T	slt	red	Tamperproof for trunking
	0 773 23	3 x 2P+T	slt	red	Tamperproof for trunking
	0 773 24	4 x 2P+T	slt	red	Tamperproof for trunking

slt : bornes sans vis / screwless terminals

Annexe de la licence / Annex of license NF012_2201/A1

Type reference	References	Number of sockets	Terminals	Colour of cover	Specificity
LXX08	0 771 61	2P+E	slt	white	with USB type C
	0 771 61 L	2P+E	slt	white	with USB type C
	0 994 24	2P+E	slt	white	with USB type C
	0 992 09	2P+E	slt	white	with USB type C
	0 791 61L	2P+E	slt	black mat	with USB type C
	0 994 49	2P+E	slt	black mat	with USB type C
	0 793 61	2P+E	slt	aluminium	with USB type C
	0 793 61L	2P+E	slt	aluminium	with USB type C
PFA1	0 771 11L	2P+E	slt	white	mobile face of entry plug
	0 771 99L	2P+E	slt	white	mobile face of entry plug
	0 771 81L	2P+E	slt	white	mobile face of entry plug
	0 771 17L	2P+E	slt	orange antibactériel	mobile face of entry plug
	0 791 21L	2P+E	slt	black mat	mobile face of entry plug
	0 994 44	2P+E	slt	black mat	mobile face of entry plug
	0 771 26L	2P+E	slt	red antibactériel	mobile face of entry plug with pilot light
	0 992 04	2P+E	slt	white	
	200 081	2P+E	slt	white	
	200 083	2P+E	slt	white	
	200 085	2P+E	slt	white	
	0 992 16	2P+E	slt	white	
	0 994 19	2P+E	slt	white	

slt : bornes sans vis / screwless terminals

Annexe de la licence / Annex of license NF012_2201/A1

Accessoires / Accessories :

Blank

References	Number of modules	Colour
0 770 70	1	white
0 792 70	1	aluminium
0 787 20	1	white antibacterial
0 770 71	2	white
0 791 81	2	anthracite
0 792 80	2	aluminium
0 791 81L	2	Black mat
0 787 21	2	white antibacterial
4 129 52	2	grey

Pilot light

References	Voltage	Specificity
0 676 63	230V	Indicator green
0 676 64	230V	Indicator white
0 802 60L	230V	Monitor light for 0 802 51
0 802 62L	230V	Indicator light for 0 802 51

Frames

Between axes: 71mm, with screw

References	Number of gang or modules	Specificity
0 802 51	1 gang	
0 802 09	1 gang	sold by 100
0 802 60	1 gang	for illumination under frame
0 802 62	1 gang	for indicator under frame
0 802 59	3 modules	
0 802 52	2 gangs	
0 802 58	2 gangs	horizontal for illumination under frame
0 802 57	2 gangs	vertical for illumination under frame
0 802 53	3 gangs	
0 802 54	4 gangs	
0 802 64	2 x 2 gangs	
0 802 66	2 x 3 gangs	
0 802 68	2 x 10 modules	

Between axes: 71mm, with claws

References	Number of gang	Specificity
0 802 61	1 gang	
0 802 69	1 gang	long claws

Annexe de la licence / Annex of license NF012_2201/A1

Between axes: Italy

References	Number of modules	Specificity
0 802 13	3 modules	
0 802 14	4 modules	
0 802 16	6 modules	
0 802 93	3 modules CHILI	

Frame DLP

References	Number of modules	Specificity
0 109 21	2 modules	cv 65
0 109 41	4 modules	
0 109 61	6 modules	
0 109 81	8 modules	
0 109 22	2 modules	cv 85
0 109 42	4 modules	
0 109 62	6 modules	
0 109 82	8 modules	

Blanks

References	Number of gang
0 791 04	2 gangs
0 791 06	3 gangs
0 791 10	4 gangs

Thin walls

References	Number of modules	Colour
0 802 91	2 modules	white
0 802 95	2 modules	aluminium

Modulars

References	Number of modules	Colour	Specificity
0 788 40	2 modules	white	cover for modular
0 801 29	2 modules	white	DIN rail for modular
0 802 99	2 modules	white	modular support
4 129 50	2 modules	white	modular support

Annexe de la licence / Annex of license NF012_2201/A1

Kit box + frame + plate

References	Number of modules	Colour
0 788 72	2 x 4 modules	white
0 788 73	3 x 4 modules	white
0 788 74	4 x 4 modules	white
0 790 72	2 x 4 modules	aluminium
0 790 73	3 x 4 modules	aluminium
0 790 74	4 x 4 modules	aluminium
0 788 72L	2 x 4 modules	White
0 788 73L	3 x 4 modules	White
0 788 74L	4 x 4 modules	White
0 790 72L	2 x 4 modules	Aluminium
0 790 73L	3 x 4 modules	Aluminium
0 790 74L	4 x 4 modules	Aluminium

Kit surface box + frame + plate

Export references	France references	Number of modules	Colour
0 788 82	0 788 86	2 x 4 modules	white
0 788 83	0 788 87	3 x 4 modules	white
0 788 84	0 788 88	4 x 4 modules	white
0 790 82		2 x 4 modules	aluminium
0 790 83		3 x 4 modules	aluminium
0 790 84		4 x 4 modules	aluminium
0 788 82L	0 788 86L	2 x 4 modules	White
0 788 83L	0 788 87L	3 x 4 modules	White
0 788 84L	0 788 88L	4 x 4 modules	White
0 790 82L		2 x 4 modules	Aluminium
0 790 83L		3 x 4 modules	Aluminium
0 790 84L		4 x 4 modules	Aluminium

Boxes for surface mounting

References	Number of gang or modules	Specificity
0 802 80	1 gang	Depth 30mm
0 802 81	1 gang	Depth 40mm
0 802 82	2 gangs	vertical
0 802 83	3 gangs	vertical
0 802 84	4 gangs	
0 802 85	2 gangs	horizontal
0 802 86	3 gangs	horizontal
0 802 89	3 modules	
0 802 74	2 x 2 gangs	
0 802 76	2 x 3 gangs	
0 802 78	2 x 10 modules	

Annexe de la licence / Annex of license NF012_2201/A1

Plates for floor recessed type

References	Designation
0 897 00	Square plate to be equipped, 1 gang inox - IP44, IK08
0 897 01	Round plate to be equipped, 1 gang inox - IP44, IK08
0 897 10	Square plate to be equipped, 1 gang bronze - IP44, IK08
0 897 11	Round plate to be equipped, 1 gang bronze - IP44, IK08
0 897 02	Rectangle plate to be equipped, 2 gang inox - IP44, IK08
0 897 12	Rectangle plate to be equipped, 2 gang bronze - IP44, IK08

Cover plates

Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 02	1 gang 2 modules	white	sold by 100	0 802 51, 0 802 60, 0 802 61, 0 802 62, 0 802 69
0 788 99		white		
0 787 22		white antibactériel		
0 793 02		aluminium		
0 790 42		Anthracite		
0 788 03	3 modules	white		0 802 59
0 793 03		aluminium		
0 788 04	2 x 2 modules	white	horizontal	0 802 52, 0 802 58
0 787 25		white antibactériel		
0 793 04		aluminium		
0 790 44		Anthracite		
0 788 22	2 x 2 modules	white	vertical	0 802 52, 0 802 57
0 787 23		white antibactériel		
0 793 22		aluminium		
0 790 62		Anthracite		
0 788 14	4 modules	white	horizontal	0 802 52, 0 802 58
0 787 24		white antibactériel		
0 793 14		aluminium		
0 790 54		Anthracite		
0 788 25	5 modules	white	vertical	0 802 52, 0 802 57
0 793 25		aluminium		
0 788 15	5 modules	white	horizontal	0 802 52, 0 802 58
0 793 15		aluminium		
0 788 06	3 x 2 modules	white	horizontal	0 802 53
0 793 06		aluminium		
0 790 46		Anthracite		
0 788 23	3 x 2 modules	white	vertical	0 802 53
0 793 23		aluminium		

Annexe de la licence / Annex of license NF012_2201/A1

Cover plates

Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 16	6 modules	white		0 802 53
0 787 26		white antibactériel		
0 793 16		aluminium		
0 790 56		Anthracite		
0 788 18	8 modules	white		0 802 53
0 793 18		aluminium		
0 790 58		Anthracite		
0 788 38	2 x 2 x 2 modules	white		0 802 64
0 793 38		aluminium		
0 788 30	2 x 5 modules	white		0 802 64
0 793 30		aluminium		
0 788 32	2 x 3 x 2 modules	white		0 802 66
0 793 32		aluminium		
0 788 36	2 x 6 modules	white		0 802 66
0 793 36		aluminium		
0 790 76		Anthracite		
0 788 37	2 x 8 modules	white		0 802 66
0 793 37		aluminium		
0 790 77		Anthracite		
0 788 08	4 x 2 modules	white	horizontal	0 802 54
0 793 08		aluminium		
0 788 10	10 modules	white		0 802 54
0 793 10		aluminium		
0 788 28	2 x 10 modules	white		0 802 68
0 793 28		aluminium		
0 788 02L	1 gang 2 modules	White	Sold by 100	0 802 51, 0 802 61, 0 802 69
2 778 02L		White		
0 788 99L		White		
0 787 22L		White antibacterial		
0 793 02L		Aluminium		
0 790 42L		Black mat		

Annexe de la licence / Annex of license NF012_2201/A1

Cover plates
Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 03L	3 modules	White		0 802 59
0 793 03L		Aluminium		
0 788 04L	2 x 2 modules	White	horizontal	0 802 52, 0 802 58
2 778 04L		White		
0 787 25L		White antibacterial		
0 793 04L		Aluminium		
0 790 44L		Black mat		
0 788 22L	2 x 2 modules	White	vertical	0 802 52, 0 802 57
2 778 22L		White		
0 787 23L		White antibacterial		
0 793 22L		Aluminium		
0 790 62L		Black mat		
0 788 14L	4 modules	White	horizontal	0 802 52, 0 802 58
2 778 14L		White		
0 787 24L		White antibacterial		
0 793 14L		Aluminium		
0 790 54L		Black mat		
0 788 25L	5 modules	White	vertical	0 802 52, 0 802 57
0 793 25L		Aluminium		
0 788 15L	5 modules	White	horizontal	0 802 52, 0 802 58
0 793 15L		Aluminium		
0 788 06L	3 x 2 modules	White	horizontal	0 802 53
2 778 06L		White		
0 793 06L		Aluminium		
0 790 46L		Black mat		
0 788 23L	3 x 2 modules	White	vertical	0 802 53
0 793 23L		Aluminium		
0 788 16L	6 modules	White		0 802 53
2 778 16L		White		
0 787 26L		White antibacterial		
0 793 16L		Aluminium		
0 790 56L		Black mat		
0 788 18L	8 modules	White		0 802 53
0 793 18L		Aluminium		
0 790 58L		Black mat		
0 788 38L	2 x 2 x 2 modules	White		0 802 64
0 793 38L		Aluminium		

Annexe de la licence / Annex of license NF012_2201/A1

Cover plates

Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 30L	2 x 5 modules	White		0 802 64
0 793 30L		Aluminium		
0 788 32L	2 x 3 x 2 modules	White		0 802 66
0 793 32L		Aluminium		
0 788 36L	2 x 6 modules	White		0 802 66
0 793 36L		Aluminium		
0 790 76L		Black mat		
0 788 37L	2 x 8 modules	White		0 802 66
0 793 37L		Aluminium		
0 790 77L		Black mat		
0 788 08L	4 x 2 modules	White	horizontal	0 802 54
0 793 08L		Aluminium		
0 788 10L	10 modules	White		0 802 54
0 793 10L		Aluminium		
0 788 28L	2 x 10 modules	White		0 802 68
0 793 28L		Aluminium		

Between axes: 57mm

References	Number of modules	Colour	Specificity	Frame
0 788 54	2 x 2 modules	white	vertical	0 802 51, 0 802 61
0 793 54		aluminium		
0 788 64	2 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64		aluminium		
0 788 56	3 x 2 modules	white	vertical	0 802 51, 0 802 61
0 788 66	3 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 16
0 788 54L	2 x 2 modules	White	vertical	0 802 51, 0 802 61
0 793 54L		Aluminium		
0 788 64L	2 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64L		Aluminium		
0 788 56L	3 x 2 modules	White	vertical	0 802 51, 0 802 61
0 788 66L	3 x 2 modules	White	horizontal	0 802 51, 0 802 61, 0 802 16

Annexe de la licence / Annex of license
NF012_2201/A1

Between axes: Italy

References	Number of modules	Colour	Specificity	Frame
0 788 91	1 module	white		0 802 13, 0 802 93
0 788 92	2 modules	white	centred	0 802 13, 0 802 94
0 788 93	3 modules	white	vertical	0 802 13, 0 802 95
0 788 94	2 modules	white	separated	0 802 13, 0 802 96
0 788 90		white	blank	0 802 13, 0 802 97

Cover IP 44

References	Number of modules	Colour	Specificity	Frame
0 788 80	2 modules	white antibacterial	IP44	0 802 51, 0 802 61